



Tyvek.

FOR
GREATER
GOOD™

DUPONT™ TYVEK® CARGO COVERS

Product list

For pharmaceuticals, perishables and temperature-sensitive products



DuPont™ Tyvek® Cargo Covers according to pallet size/ULD



Euro Sized Pallets 47 x 31.5 in / 120 x 80 cm

Product code	Item description	Height		Net weight		Qty/Box	Qty/Pallet
		in	cm	lb	kg		
D15157268	Tyvek® Solar™ W10 Cargo Cover	24	61	0.73	0.33	75	1200
D14989567		39	100	0.99	0.45	25	400
D14569789		47	120	1.10	0.50	20	320
D14569796		64	160	1.34	0.61	20	320
D15072833	Tyvek® Solar™ W20 Cargo Cover	39	100	1.08	0.49	25	400
D14569801		47	120	1.17	0.53	20	320
D14569811		64	160	1.46	0.66	20	320
D15519195	Tyvek® Xtreme™ W50 Cargo Cover	39	100	4.85	2.20	10	30
D15519196		47	120	5.29	2.40	10	30
D15519197		64	160	6.17	2.80	8	24
D14611983	Tyvek® Solar™ W10 Base			0.29	0.13	100	1600



UK/USA Sized Pallets 47 x 40 in / 120 x 100 cm

Product code	Item description	Height		Net weight		Qty/Box	Qty/Pallet
		in	cm	lb	kg		
D15157257	Tyvek® Solar™ W10 Cargo Cover	24	61	0.88	0.40	60	960
D14569740		48	122	1.15	0.52	20	320
D14569759		64	160	1.48	0.67	20	320
D14569769	Tyvek® Solar™ W20 Cargo Cover	48	122	1.43	0.65	20	320
D14569778		64	160	1.57	0.71	20	320
D15519198	Tyvek® Xtreme™ W50 Cargo Cover	48	122	5.29	2.40	10	30
D15519199		64	160	6.83	3.10	8	24
D14611997	Tyvek® Solar™ W10 Base			0.33	0.15	80	1280



UK/USA XL Sized Pallets 51 x 42 in / 130 x 107 cm


Product code	Item description	Height		Net weight		Qty/Box	Qty/Pallet
		in	cm	lb	kg		
D15164872	Tyvek® Solar™ W10 Cargo Cover	48	122	1.32	0.60	20	320
D15164859		64	160	1.59	0.72	20	320
D15317558		72	183	1.70	0.77	16	256
D15317563		84	213	1.92	0.87	16	256
D15164888	Tyvek® Solar™ W20 Cargo Cover	48	122	1.54	0.70	20	320
D15164865		64	160	1.72	0.78	20	320





AKH Unit Load Devices 96 x 60 in / 244 x 153 cm


Product code	Item description	Height		Net weight		Qty/Box	Qty/Pallet
		in	cm	lb	kg		
D15342662	Tyvek® Solar™ W10 Cargo Cover	45	117	2.53	1.15	8	128
D15343055	Tyvek® Solar™ W20 Cargo Cover	45	117	2.76	1.25	8	128


DuPont™ Tyvek® Cargo Covers according to pallet size/ULD

 LD3 Unit Load Devices 80 x 61 in / 201 x 154 cm		Height		Net weight		Qty/Box	Qty/Pallet		
		Product code	Item description	in	cm			lb	kg
				D14580030	Tyvek® Solar™ W10 Cargo Cover			64	163
D14580045	Tyvek® Solar™ W20 Cargo Cover	64	163	2.93	1.33	8	96		

 PAG Unit Load Devices 125 x 88 in / 318 x 224 cm		Height		Net weight		Qty/Box	Qty/Pallet		
		Product code	Item description	in	cm			lb	kg
				D14572336	Tyvek® Solar™ W10 Cargo Cover			64	162
D14572342	96	243	5.25	2.38		2	24		
D14572363	Tyvek® Solar™ W20 Cargo Cover	64	162	4.61	2.09	4	48		
D14572350		96	243	7.49	3.40	2	24		
D14612017	Tyvek® Solar™ W10 Base			1.48	0.67	40	480		

 PMC Unit Load Devices 125 x 96 in / 318 x 244 cm		Height		Net weight		Qty/Box	Qty/Pallet		
		Product code	Item description	in	cm			lb	kg
				D14572299	Tyvek® Solar™ W10 Cargo Cover			64	162
D14572300	96	243	5.71	2.59		2	24		
D14612030	118	300	6.82	3.09		2	24		
D14572320	Tyvek® Solar™ W20 Cargo Cover	64	162	4.98	2.26	4	48		
D14572318		96	243	6.83	3.10	2	24		
D15206084		118	300	7.71	3.50	2	24		
D15519200	Tyvek® Xtreme™ W50 Cargo Cover	64	162	22.91	10.40	2	6		
D15519201		96	243	28.21	12.80	1	3		
D14612006	Tyvek® Solar™ W10 Base			1.46	0.66	40	480		


 Miscellaneous		Length		Width		Height		Net weight		Qty/Box	Qty/Pallet		
		Product code	Item description	in	cm	in	cm	in	cm			lb	kg
				D15156327	Box Tyvek® Solar™ W10 Cargo Cover	24	60	16	40			14	35
D15442675	Tyvek® Solar™ W10 Cargo Cover	42	106	50	126	41	103	1.41	0.64	20	320		
D15442685		43	108	50	128	56	143	1.54	0.70	18	288		
D15436124		43.5	110	43.5	110	63	160	0.55	0.25	20	320		
D15442645		45	115	49	125	60	152	1.67	0.76	18	288		
D15442661		47	120	33	83	43	110	1.12	0.51	20	320		
D15442658		50	128	35	88	50	128	1.25	0.57	20	320		
D15438409		51	130	34	88	41	63	0.77	0.35	25	400		




Water resistant




Lightweight



Easy to store




Breathable



Quick installation

Risks Associated with Breaks in the Cold Chain

To protect from excursions during breaks in the cold chain



Western European Region

Yves Le Minor
Tel: +33 6 15 25 48 52
yves.le-minor-1@dupont.com

East European Region

Andras Kovacs
Tel: +36 30 212 6271
andras.kovacs@dupont.com

Czech Republic & Slovakia

Pavel Prazak
Tel: +420 577 101 753
pavel.prazak@dupont.com

Poland

Wojtek Fijalkowski
Tel: + 48 606 802 595
wojciech.fijalkowski@dupont.com

Middle East & Northern Africa

Moheeb Al Ahmed
Tel: +966 3 881 2235 (13)
moheeb.al-ahmed@dupont.com

Arabic Gulf Region

Richien K Ravi
Tel: +971 506 588 603
richien.ravi@dupont.com

Sub Sahara Africa

Patricia Ntsekhe
Tel: +27 11 218 8616
patricia.ntsekhe@dupont.com

North America

Jon Norris
Tel: +1 513 393 9797
jon.norris@dupont.com

Deanna Salvati

Tel: +1 615 406 1677
deanna.a.salvati@dupont.com

Latin America Region

Luiza Cantanhede
Tel: +55 11 999 081 815
Luiza.Cantanhede@dupont.com

Argentina

Alejandro Welsh
Tel: +54 9 11 6247 6502
alejandrowelsh@dupont.com

Brazil

Marina Valente
Tel: +55 11 994 80 1722
marina.m.valente@dupont.com

Colombia

Natalia Arango Orozco
Tel: +57 31 024 29 579
natalia.arango@dupont.com

Mexico

Maria Guzman
Tel: +52 1 55 5414 0584
maria.guzman@dupont.com

Peru

Isbet Alvarado
Tel: +51-1 2018960
isbet.alvarado@dupont.com

Asia Pacific Region

Kenny Chen
Tel: +86 21 386 222 92
Kenny-Zh.Y.Chen@dupont.com

Malaysia & Singapore

Patheryn Chong
Tel: +60 3 2859 0721
Patheryn.Chong@dupont.com

Japan

Masaaki Ishii
Tel: +81 3 5521 2658
Masaaki.Ishii@dupont.com

Suzue Kikuyama

Tel: +81 3 5521 2620
Suzue.Kikuyama@dupont.com

India

Shyam Lal Patnaik
Tel: +91 124 4091818
shyam.lal.patnaik@dupont.com

Korea

Darren Oh
Tel: +82 10 8282 8252
Darren.Oh@dupont.com



Tyvek.
cargo covers

All technical information set out herein is provided free of charge and is based on technical data which DuPont believes to be reliable. It is intended for use by persons having skill, at their own discretion and risk. Since conditions of product use are outside of our control we make no warranties expressed or implied in relation thereto and therefore cannot accept any liability in connection with any use of this information. To maintain efficacy, DuPont™ Tyvek™ Cargo Covers must be stored in the original package under dry, normal temperature conditions. New and used covers are expected to deteriorate if not properly protected from dust, heat and humidity. DuPont™ Tyvek™ Cargo Covers have been designed for a recommended one-time use to protect temperature sensitive products. Covers are to be considered as complementary to a user's established cold chain best practices, according to the Good Distribution Practice. DuPont is not liable for product damage during the use of the cover. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe any patents.