



Destra 75DF

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Destra 75DF
Tradename/Synonym : B10370465

MSDS Number : 130000139586

Manufacturer : E.I. du Pont Canada Company
P.O. Box 2200, Streetsville
Mississauga, ON
L5M 2H3
Canada

Product Information : 1-800-387-2122
Medical Emergency : 1-800-441-3637 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin : May cause: Irritation with discomfort or rash.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Ingestion

Rimsulfuron : Abnormal liver function

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

**Destra 75DF**

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Rimsulfuron	122931-48-0	37.5 %
Nicosulfuron	111991-09-4	37.5 %
Other Ingredients		25 %

SECTION 4. FIRST AID MEASURES

- Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Inhalation : Remove person to fresh air. If signs/symptoms continue, get medical attention. Artificial respiration and/or oxygen may be necessary. Call a poison control center or doctor for treatment advice.
- Ingestion : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For medical emergencies involving this product, call toll free 1-800-441-3637.
See Label for Additional Precautions and Directions for Use.



Destra 75DF

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)
- Unsuitable extinguishing media : High volume water jet, (contamination risk)
- Firefighting Instructions : Wear full protective clothing and self-contained breathing apparatus. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.
- Spill Cleanup : Sweep up and shovel into suitable containers for disposal.
- Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.
- Handling (Physical Aspects) : Keep away from heat and sources of ignition.
- Storage : Store in original container. Store in a cool, dry place. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Keep out of the reach of children.



Destra 75DF

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Skin and body protection : Applicators and other handlers must wear:
 Long sleeved shirt and long pants
 Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
 Shoes plus socks
 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
 Coveralls
 Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
 Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Exposure Guidelines
 Exposure Limit Values

Rimsulfuron AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA Total dust.
AEL *	(DUPONT)	2.5 mg/m3	8 & 12 hr. TWA Respirable dust.
Nicosulfuron AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA Respirable dust.

* AEL is the Manufacturer's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

**Destra 75DF**

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: solid, granules
Color	: off-white
Odor	: slight
pH	: 6
Water solubility	: dispersible

SECTION 10. STABILITY AND REACTIVITY

Stability	: Stable at normal temperatures and storage conditions.
Conditions to avoid	: None reasonably foreseeable.
Incompatibility	: No materials to be especially mentioned.
Hazardous reactions	: Polymerization will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Destra 75DF

Inhalation 4 h LC50	: > 5.6 mg/l , Rat
Dermal LD50	: > 2,000 mg/kg , Rabbit
Oral LD50	: > 5,000 mg/kg , Rat
Skin irritation	: slight irritation, Rabbit
Eye irritation	: Moderate eye irritation, Rabbit
Sensitisation	: Animal test did not cause sensitization by skin contact., Guinea pig

Rimsulfuron

Repeated dose toxicity	: The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
------------------------	--

Oral



Destra 75DF

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

Rat

altered blood chemistry, Liver effects, Organ weight changes

- Carcinogenicity : Did not show carcinogenic effects in animal experiments.
- Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Did not show mutagenic effects in animal experiments.
- Reproductive toxicity : Animal testing did not show any effects on fertility.
- Teratogenicity : Evidence suggests the substance is not a developmental toxin in animals.

Nicosulfuron

Repeated dose toxicity : Oral
Mouse
90 d
No toxicologically significant effects were found.

Oral
Mouse
28 d
No toxicologically significant effects were found.

Oral
Rat
90 d
No toxicologically significant effects were found.

- Carcinogenicity : Not classifiable as a human carcinogen.
Animal testing did not show any carcinogenic effects.
- Mutagenicity : Animal testing did not show any mutagenic effects.
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Reproductive toxicity : No toxicity to reproduction
Animal testing showed no reproductive toxicity.
- Teratogenicity : Did not show teratogenic effects in animal experiments.

**Destra 75DF**

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Rimsulfuron

96 h LC50	:	Oncorhynchus mykiss (rainbow trout) > 390 mg/l
96 h LC50	:	Lepomis macrochirus (Bluegill sunfish) > 390 mg/l
120 h EbC50	:	Selenastrum capricornutum (green algae) 1.6 mg/l
48 h EC50	:	Daphnia magna (Water flea) > 360 mg/l
90 d	:	NOEC Oncorhynchus mykiss (rainbow trout) 110 mg/l
21 d	:	NOEC Daphnia magna (Water flea) 0.82 mg/l

Nicosulfuron

96 h LC50	:	Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l
96 h LC50	:	Lepomis macrochirus (Bluegill sunfish) > 1,000 mg/l
72 h EbC50	:	Pseudokirchneriella subcapitata (green algae) 24.75 mg/l
72 h ErC50	:	Pseudokirchneriella subcapitata (green algae) 71.17 mg/l
7 d EC50	:	Lemna gibba (duckweed) 0.0032 mg/l
96 h EC50	:	Lemna gibba (duckweed) > 0.120 mg/l
48 h EC50	:	Daphnia magna (Water flea) > 1,000 mg/l
90 d	:	NOEC Oncorhynchus mykiss (rainbow trout) 24 mg/l
21 d	:	NOEC Daphnia magna (Water flea) 43 mg/l

Environmental Fate

Rimsulfuron

Biodegradability	:	According to the results of tests of biodegradability this product is not readily biodegradable.
Bioaccumulation	:	Does not bioaccumulate.



Destra 75DF

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff. See product label for additional application instructions relating to environmental precautions.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container disposal: : Container Refilling and Disposal:
Refer to the product label for instructions.

SECTION 14. TRANSPORT INFORMATION

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Nicosulfuron, Rimsulfuron)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3077
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nicosulfuron, Rimsulfuron)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Nicosulfuron, Rimsulfuron)

Not regulated as a hazardous material by DOT.
Not regulated as a hazardous material by TDG.



Destra 75DF

Version 2.2

Revision Date 02/02/2015

Ref. 130000139586

SECTION 15. REGULATORY INFORMATION

PCP Registration # : 31613
Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.

SECTION 16. OTHER INFORMATION

MSDS preparation date : 02/02/2015

Contact person : E.I. DuPont Canada Company, Mississauga, Ontario, L5M 2H3

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.